



United States
Department of
Agriculture

National
Agricultural
Statistics
Service


Agricultural
Statistics
Board

Washington, D.C.



May 1993
Ct Gn 1(93)

Cotton Ginnings 1992 Summary



Cotton Ginnings: Running Bales Ginned (Excluding Linters)
by Type, State, and United States, Crop Years 1989-92

| Type and State | 1989 <u>1/</u> | 1990 <u>1/</u> | 1991 | 1992 |
|-------------------|----------------|----------------|------------|------------|
| All Cotton | | | | |
| AL | 365,527 | 374,950 | 542,500 | 596,200 |
| AZ | 1,083,208 | 953,854 | 1,018,000 | 805,350 |
| AR | 837,639 | 1,062,822 | 1,528,300 | 1,645,650 |
| CA | 2,628,639 | 2,727,382 | 2,639,650 | 3,038,600 |
| FL <u>2/</u> | | | | 78,300 |
| GA | 336,832 | 399,682 | 701,550 | 721,950 |
| KS <u>2/ 3/</u> | | | | |
| LA | 874,975 | 1,178,605 | 1,422,100 | 1,295,750 |
| MS | 1,514,987 | 1,799,242 | 2,215,800 | 2,074,350 |
| MO | 264,164 | 300,334 | 414,500 | 530,100 |
| NM | 92,697 | 90,549 | 66,000 | 58,150 |
| NC | 138,216 | 261,798 | 633,550 | 460,700 |
| OK | 165,271 | 363,446 | 231,300 | 204,150 |
| SC | 146,674 | 137,167 | 328,450 | 212,400 |
| TN | 470,035 | 484,913 | 689,400 | 812,650 |
| TX | 2,945,859 | 4,903,480 | 4,626,500 | 3,226,750 |
| VA <u>2/ 4/</u> | | | | 24,600 |
| US | 11,883,851 | 15,064,343 | 17,146,150 | 15,785,650 |
| Amer-Pima | | | | |
| AZ | 470,010 | 188,558 | 178,900 | 134,150 |
| CA | 33,118 | 55,180 | 140,700 | 283,500 |
| MS <u>2/</u> | | 1,630 | | 400 |
| NM <u>2/</u> | | 10,718 | 12,100 | 13,100 |
| TX | 145,921 | 90,350 | 52,600 | 61,400 |
| Oth Sts <u>2/</u> | | | | 900 |
| US | 674,865 | 347,987 | 385,200 | 493,450 |

1/ Source: Bureau of Census.

2/ Not published to avoid disclosing individual gins, but included in the U.S. totals.

3/ No gins operated in 1992 season.

4/ No gins operated prior to 1991.

Cotton Ginnings: Running Bales Produced and Equivalent 480-Pound
Bales Ginned, by Type, State, and United States, Crop Years 1991-92

| Type and State | Running Bales Produced | | Equivalent 480-Pound Bales Ginned | |
|------------------------|------------------------|------------|--------------------------------------|------------|
| | 1991 | 1992 | 1991 | 1992 |
| All Cotton | | | | |
| AL | 532,450 | 596,750 | 563,100 | 619,900 |
| AZ | 1,051,400 | 841,500 | 1,046,250 | 825,200 |
| AR | 1,546,450 | 1,652,150 | 1,557,200 | 1,674,150 |
| CA | 2,606,400 | 3,002,500 | 2,727,850 | 3,147,400 |
| FL <u>1/</u> | 70,650 | 70,150 | | 80,700 |
| GA | 699,150 | 717,200 | 724,650 | 749,000 |
| KS <u>1/</u> <u>2/</u> | 1,300 | 200 | | |
| LA | 1,394,650 | 1,275,350 | 1,441,400 | 1,319,500 |
| MS | 2,218,950 | 2,081,200 | 2,270,800 | 2,123,200 |
| MO | 423,200 | 535,250 | 418,950 | 535,200 |
| NM | 80,100 | 65,900 | 66,900 | 59,150 |
| NC | 625,650 | 456,200 | 648,400 | 472,600 |
| OK | 231,450 | 203,500 | 237,950 | 210,300 |
| SC | 333,500 | 220,300 | 338,550 | 217,500 |
| TN | 689,950 | 819,900 | 699,950 | 826,000 |
| TX | 4,612,800 | 3,219,500 | 4,768,600 | 3,323,550 |
| VA | 28,100 | 28,100 | | 24,650 |
| US | 17,146,150 | 15,785,650 | 17,602,650 | 16,208,000 |
| Amer-Pima | | | | |
| AZ | 178,900 | 134,100 | 183,950 | 137,900 |
| CA | 140,650 | 283,500 | 146,150 | 293,600 |
| MS <u>1/</u> | 650 | 400 | | 400 |
| NM | 18,100 | 19,450 | 12,300 | 13,250 |
| TX | 46,600 | 55,100 | 53,700 | 63,150 |
| Oth Sts <u>1/</u> | 300 | 900 | | 950 |
| US | 385,200 | 493,450 | 397,050 | 509,250 |

1/ Not published to avoid disclosing individual gins, but included in the U.S. totals.

2/ No gins operated in 1992 crop year.

Cotton Ginnings: Running Bales Ginned (Excluding Linters), by Type,
Survey Period, State, and United States, Crop Year 1992

| Type and State | October 1 | October 15 | November 1 |
|----------------|-----------|------------|------------|
| All Cotton | | | |
| AL | 9,500 | 80,650 | 235,250 |
| AZ | 105,550 | 243,250 | 423,750 |
| AR | 51,300 | 387,100 | 877,750 |
| CA | 96,900 | 577,000 | 1,302,800 |
| FL <u>1/</u> | | 3,300 | 17,250 |
| GA | 11,300 | 54,500 | 195,550 |
| KS <u>2/</u> | | | |
| LA | 294,850 | 648,300 | 1,011,150 |
| MS | 221,000 | 728,100 | 1,369,900 |
| MO | 5,650 | 116,500 | 274,750 |
| NM <u>1/</u> | | 6,300 | 19,750 |
| NC <u>1/</u> | | 16,550 | 110,350 |
| OK <u>1/</u> | | 16,550 | 50,650 |
| SC | 3,900 | 24,450 | 88,350 |
| TN | 19,400 | 175,750 | 417,500 |
| TX | 842,350 | 967,850 | 1,186,750 |
| VA | 0 | 0 | 2,150 |
| US | 1,664,150 | 4,046,150 | 7,583,650 |
| Amer-Pima | | | |
| AZ <u>1/</u> | | 11,700 | 34,900 |
| CA <u>1/</u> | | 17,800 | 59,500 |
| MS <u>1/</u> | | | |
| NM <u>1/</u> | | | |
| TX | 2,150 | 5,950 | 12,850 |
| Oth | | | |
| Sts <u>1/</u> | 0 | | |
| US | 5,750 | 36,400 | 110,950 |

See footnotes at end of table.

-- continued

Cotton Ginnings: Running Bales Ginned (Excluding Linters), by Type,
Survey Period, State, and United States, Crop Year 1992 (continued)

| Type and State | November 15 | December 1 | December 15 |
|-------------------|-------------|------------|-------------|
| All Cotton | | | |
| AL | 335,600 | 444,550 | 528,100 |
| AZ | 571,050 | 688,500 | 750,700 |
| AR | 1,206,500 | 1,448,650 | 1,586,700 |
| CA | 1,902,300 | 2,417,200 | 2,696,300 |
| FL | 30,800 | 45,100 | 59,100 |
| GA | 308,800 | 428,600 | 550,350 |
| KS <u>2/</u> | | | |
| LA | 1,187,700 | 1,283,200 | 1,293,750 |
| MS | 1,747,750 | 1,966,550 | 2,047,650 |
| MO | 390,900 | 485,500 | 523,500 |
| NM | 36,050 | 47,150 | 51,350 |
| NC | 193,350 | 305,150 | 390,750 |
| OK | 75,600 | 94,900 | 112,400 |
| SC | 121,850 | 154,500 | 180,500 |
| TN | 577,700 | 715,900 | 793,100 |
| TX | 1,601,800 | 2,057,600 | 2,497,050 |
| VA | 8,050 | 13,500 | 21,350 |
| US | 10,295,800 | 12,596,550 | 14,082,650 |
| Amer-Pima | | | |
| AZ | 65,650 | 97,850 | 118,400 |
| CA | 89,950 | 128,600 | 168,650 |
| MS <u>1/</u> | | | |
| NM | 7,750 | 10,700 | 11,950 |
| TX | 22,200 | 35,200 | 42,550 |
| Oth Sts <u>1/</u> | | | |
| US | 185,800 | 272,800 | 342,050 |

See footnotes at end of table.

-- continued

Cotton Ginnings: Running Bales Ginned (Excluding Linters), by Type,
Survey Period, State, and United States, Crop Year 1992 (continued)

| Type and State | January 1 | January 15 | February 1 |
|------------------|------------|------------|------------|
| All Cotton | | | |
| AL | 567,700 | 580,050 | 583,450 |
| AZ | 783,250 | 791,450 | 798,550 |
| AR | 1,639,800 | 1,644,800 | 1,644,800 |
| CA | 2,840,550 | 2,917,900 | 2,981,250 |
| FL | 72,300 | 76,750 | 77,700 |
| GA | 647,750 | 689,550 | 705,200 |
| KS ^{2/} | | | |
| LA | 1,294,700 | 1,294,800 | 1,294,900 |
| MS | 2,066,700 | 2,068,750 | 2,070,250 |
| MO | 527,800 | 527,900 | 528,100 |
| NM | 54,300 | 54,600 | 54,750 |
| NC | 425,600 | 440,950 | 443,900 |
| OK | 140,850 | 150,000 | 163,850 |
| SC | 196,800 | 203,000 | 205,850 |
| TN | 807,100 | 808,850 | 809,500 |
| TX | 2,856,150 | 3,037,350 | 3,140,550 |
| VA | 22,800 | 23,800 | 24,100 |
| US | 14,944,150 | 15,310,500 | 15,526,700 |
| Amer-Pima | | | |
| AZ | 130,300 | 131,500 | 132,400 |
| CA | 202,400 | 224,800 | 247,400 |
| NM | 12,900 | 13,050 | 13,050 |
| TX | 49,900 | 55,750 | 61,200 |
| Oth Sts | 600 | 1,000 | 1,000 |
| US | 396,100 | 426,100 | 455,050 |

^{1/} Not published to avoid disclosing individual gins, but included in U.S. totals.

^{2/} No gins operated in 1992 season.

Cotton Ginnings: All Cotton Running Bales Ginned (Excluding Linters),
Equivalent 480-Pound Bales Ginned, and Running Bales Produced
by County, State, and United States, Crop Year 1992

| County and State | Running Bales Ginned | Equivalent 480-Pound Bales Ginned | Running Bales Produced |
|----------------------|-------------------------|--------------------------------------|---------------------------|
| Autauga <u>1/</u> | | | |
| Baldwin <u>1/</u> | | | |
| Barbour | 0 | 0 | 7,750 |
| Bibb <u>1/</u> | | | |
| Blount <u>1/</u> | | | |
| Bullock | 0 | 0 | 300 |
| Butler | 0 | 0 | 1,000 |
| Calhoun | 0 | 0 | 900 |
| Cherokee | 35,000 | 35,400 | 29,850 |
| Chilton <u>1/</u> | | | |
| Choctaw | 0 | 0 | 850 |
| Coffee | 0 | 0 | 4,100 |
| Colbert <u>1/</u> | | | |
| Conecuh | 0 | 0 | 10,950 |
| Covington <u>1/</u> | | | |
| Crenshaw | 5,450 | 5,600 | 2,200 |
| Cullman | 0 | 0 | 1,300 |
| Dale | 0 | 0 | 2,600 |
| Dallas | 21,650 | 22,350 | 22,500 |
| Dekalb <u>1/</u> | | | |
| Elmore | 23,900 | 25,000 | 27,100 |
| Escambia <u>1/</u> | | | |
| Etowah | 0 | 0 | 1,950 |
| Fayette <u>1/</u> | | | |
| Franklin | 0 | 0 | 250 |
| Geneva <u>1/</u> | | | |
| Greene <u>1/</u> | | | |
| Hale <u>1/</u> | | | |
| Henry <u>1/</u> | | | |
| Houston <u>1/</u> | | | |
| Lamar | 0 | 0 | 1,000 |
| Lauderdale <u>1/</u> | | | |
| Lawrence <u>1/</u> | | | |
| Lee | 0 | 0 | 2,550 |
| Limestone | 107,550 | 112,850 | 85,500 |
| Lowndes <u>1/</u> | | | |
| Macon <u>1/</u> | | | |
| Madison | 41,600 | 42,600 | 67,400 |
| Marengo <u>1/</u> | | | |

See footnotes at end of table.

-- continued

Cotton Ginnings; All Cotton Running Bales Ginned (Excluding Linters),
Equivalent 480-Pound Bales Ginned, and Running Bales Produced
by County, State, and United States, Crop Year 1992 (continued)

| County and State | Running Bales Ginned | Equivalent 480-Pound Bales Ginned | Running Bales Produced |
|-----------------------|-------------------------|--------------------------------------|---------------------------|
| Marshall | 0 | 0 | 400 |
| Mobile | 0 | 0 | 7,550 |
| Monroe <u>1/</u> | 0 | 0 | 2,400 |
| Montgomery | 0 | 0 | 2,400 |
| Morgan <u>1/</u> | 0 | 0 | 2,400 |
| Pickens <u>1/</u> | 0 | 0 | 2,800 |
| Pike | 0 | 0 | 2,800 |
| Russell <u>1/</u> | 0 | 0 | 1,550 |
| Shelby <u>1/</u> | 0 | 0 | 1,550 |
| Talladega | 0 | 0 | 1,550 |
| Tallahpoosa <u>1/</u> | 0 | 0 | 1,400 |
| Tuscaloosa <u>1/</u> | 0 | 0 | 3,950 |
| Washington | 0 | 0 | 1,400 |
| Wilcox | 0 | 0 | 3,950 |
| Alabama | 596,200 | 619,900 | 596,750 |
| Cochise | 14,100 | 14,500 | 14,100 |
| Graham <u>1/</u> | 0 | 0 | 0 |
| Greenlee <u>1/</u> | 0 | 0 | 0 |
| La Paz <u>1/</u> | 0 | 0 | 0 |
| Maricopa | 321,800 | 328,950 | 296,100 |
| Mohave <u>1/</u> | 0 | 0 | 0 |
| Pima | 32,000 | 32,800 | 30,400 |
| Pinal | 284,950 | 292,050 | 309,950 |
| Yuma | 54,550 | 56,500 | 54,650 |
| Arizona | 805,350 | 825,200 | 841,500 |
| Arkansas | 0 | 0 | 44,250 |
| Ashley | 106,600 | 107,750 | 98,250 |
| Bradley <u>2/</u> | 0 | 0 | 0 |
| Chicot | 85,300 | 86,900 | 90,100 |
| Clark | 0 | 0 | 600 |
| Clay | 26,050 | 26,300 | 29,000 |
| Craighead | 154,600 | 155,900 | 165,250 |
| Crittenden | 116,100 | 117,900 | 79,150 |
| Cross <u>1/</u> | 0 | 0 | 0 |
| Desha | 119,900 | 121,950 | 140,400 |
| Drew <u>1/</u> | 0 | 0 | 0 |
| Greene | 22,600 | 23,250 | 24,950 |

See footnotes at end of table.

-- continued

Cotton Ginnings: All Cotton Running Bales Ginned (Excluding Linters),
Equivalent 480-Pound Bales Ginned, and Running Bales Produced
by County, State, and United States, Crop Year 1992 (continued)

| County and State | Running Bales Ginned | Equivalent 480-Pound Bales Ginned | Running Bales Produced |
|---------------------|-------------------------|--------------------------------------|---------------------------|
| Jackson | 0 | 0 | 200 |
| Jefferson | 103,100 | 105,700 | 107,200 |
| Lafayette <u>1/</u> | | | |
| Lee <u>1/</u> | | | |
| Lincoln <u>1/</u> | | | |
| Lonoke | 67,000 | 67,750 | 56,050 |
| Miller <u>1/</u> | | | |
| Mississippi | 337,650 | 342,000 | 314,400 |
| Monroe | 38,000 | 38,500 | 45,400 |
| Phillips | 195,500 | 201,450 | 160,800 |
| Poinsett | 120,950 | 123,700 | 106,150 |
| Prairie <u>1/</u> | | | |
| Pulaski | 0 | 0 | 1,750 |
| Saint Francis | 37,900 | 38,300 | 39,300 |
| Woodruff <u>1/</u> | | | |
| Arkansas | 1,645,650 | 1,674,150 | 1,652,150 |
| Fresno | 1,008,400 | 1,044,950 | 1,016,850 |
| Imperial <u>1/</u> | | | |
| Kern | 666,400 | 689,700 | 692,950 |
| Kings | 640,150 | 662,550 | 635,300 |
| Madera | 154,850 | 161,300 | 116,100 |
| Merced | 170,600 | 176,900 | 197,950 |
| Riverside <u>1/</u> | | | |
| San Bernardino | 0 | 0 | 1,350 |
| Tulare | 327,200 | 339,150 | 308,400 |
| California | 3,038,600 | 3,147,400 | 3,002,500 |
| Florida | 78,300 | 80,700 | 70,150 |
| Appling <u>1/</u> | | | |
| Atkinson | 0 | 0 | 2,750 |
| Bacon | 0 | 0 | 1,350 |
| Baker | 0 | 0 | 9,500 |
| Bartow <u>1/</u> | | | |
| Ben Hill | 0 | 0 | 3,100 |
| Berrien | 0 | 0 | 9,550 |
| Bleckley <u>1/</u> | | | |
| Brooks <u>1/</u> | | | |

See footnotes at end of table.

-- continued

Cotton Ginnings: All Cotton Running Bales Ginned (Excluding Linters),
Equivalent 480-Pound Bales Ginned, and Running Bales Produced
by County, State, and United States, Crop Year 1992 (continued)

| County and State | Running Bales Ginned | Equivalent 480-Pound Bales Ginned | Running Bales Produced |
|----------------------|-------------------------|--------------------------------------|---------------------------|
| Bryan | 0 | 0 | 150 |
| Bulloch <u>1/</u> | | | |
| Burke <u>1/</u> | | | |
| Calhoun <u>1/</u> | | | |
| Candler <u>1/</u> | | | |
| Clay | 0 | 0 | 5,150 |
| Coffee | 0 | 0 | 5,500 |
| Colquitt | 107,600 | 111,450 | 70,350 |
| Cook <u>1/</u> | | | |
| Crawford <u>1/</u> | | | |
| Crisp <u>1/</u> | | | |
| Decatur <u>1/</u> | | | |
| Dodge <u>1/</u> | | | |
| Dooly | 100,250 | 106,200 | 70,250 |
| Dougherty | 0 | 0 | 4,250 |
| Early <u>1/</u> | | | |
| Echols | 0 | 0 | 350 |
| Effingham | 0 | 0 | 50 |
| Elbert <u>1/</u> | | | |
| Emanuel | 0 | 0 | 6,800 |
| Evans | 0 | 0 | 100 |
| Floyd | 0 | 0 | 1,950 |
| Glascock | 0 | 0 | 50 |
| Gordon | 0 | 0 | 450 |
| Hart | 0 | 0 | 50 |
| Houston | 0 | 0 | 7,200 |
| Irwin <u>1/</u> | | | |
| Jeff Davis <u>1/</u> | | | |
| Jefferson <u>1/</u> | | | |
| Jenkins | 0 | 0 | 5,950 |
| Johnson <u>1/</u> | | | |
| Lamar | 0 | 0 | 850 |
| Lanier | 0 | 0 | 2,350 |
| Laurens <u>1/</u> | | | |
| Lee <u>1/</u> | | | |
| Lowndes <u>1/</u> | | | |
| Macon | 0 | 0 | 11,500 |
| McDuffie | 0 | 0 | 100 |
| Miller | 0 | 0 | 10,400 |
| Mitchell <u>1/</u> | | | |
| Montgomery | 0 | 0 | 1,200 |

See footnotes at end of table.

-- continued

Cotton Ginnings: All Cotton Running Bales Ginned (Excluding Linters),
Equivalent 480-Pound Bales Ginned, and Running Bales Produced
by County, State, and United States, Crop Year 1992 (continued)

| County and State | Running Bales Ginned | Equivalent 480-Pound Bales Ginned | Running Bales Produced |
|---------------------|-------------------------|--------------------------------------|---------------------------|
| Morgan <u>1/</u> | 0 | 0 | 300 |
| Oconee | 0 | 0 | 4,550 |
| Peach | 0 | 0 | 4,450 |
| Pierce | 0 | 0 | 1,750 |
| Polk | 0 | 0 | 1,100 |
| Pulaski <u>1/</u> | 0 | 0 | 50 |
| Quitman | 0 | 0 | 150 |
| Randolph <u>1/</u> | 0 | 0 | 2,200 |
| Richmond | 0 | 0 | 7,750 |
| Schley | 0 | 0 | 100 |
| Screven <u>1/</u> | 0 | 0 | 2,350 |
| Seminole <u>1/</u> | 0 | 0 | 400 |
| Stewart | 0 | 0 | 4,200 |
| Sumter | 0 | 0 | 650 |
| Tattnall | 0 | 0 | 1,250 |
| Taylor | 0 | 0 | 1,750 |
| Telfair | 0 | 0 | 150 |
| Terrell | 0 | 0 | 500 |
| Thomas <u>1/</u> | 0 | 0 | 200 |
| Tift <u>1/</u> | 0 | 0 | 450 |
| Toombs | 0 | 0 | 5,050 |
| Treutlen | 0 | 0 | 3,550 |
| Turner <u>1/</u> | 0 | 0 | 400 |
| Twiggs | 0 | 0 | 350 |
| Upson | 0 | 0 | 300 |
| Walton | 0 | 0 | 28,400 |
| Ware | 0 | 0 | 721.950 |
| Warren | 0 | 0 | 749.000 |
| Washington | 0 | 0 | 717.200 |
| Wayne | 0 | 0 | 200 |
| Webster | 0 | 0 | |
| Wheeler | 0 | 0 | |
| Wilcox <u>1/</u> | 0 | 0 | |
| Wilkinson | 0 | 0 | |
| Worth | 0 | 0 | |
| Georgia | 721.950 | 749.000 | 717.200 |
| Kansas <u>3/</u> | | | 200 |

See footnotes at end of table.

-- continued

Cotton Ginnings: All Cotton Running Bales Ginned (Excluding Linters),
Equivalent 480-Pound Bales Ginned, and Running Bales Produced
by County, State, and United States, Crop Year 1992 (continued)

| County and State | Running Bales Ginned | Equivalent 480-Pound Bales Ginned | Running Bales Produced |
|------------------------|-------------------------|--------------------------------------|---------------------------|
| Acadia | 0 | 0 | 350 |
| Avoyelles <u>1/</u> | | | |
| Bienville | 0 | 0 | 1,200 |
| Bossier | 0 | 0 | 4,550 |
| Caddo | 44,050 | 45,550 | 37,400 |
| Caldwell <u>1/</u> | | | |
| Catahoula | 45,300 | 45,450 | 69,850 |
| Claiborne | 0 | 0 | 450 |
| Concordia | 50,550 | 51,300 | 42,000 |
| Desoto | 0 | 0 | 1,150 |
| East Carroll | 170,550 | 174,100 | 102,300 |
| Evangeline | 0 | 0 | 950 |
| Franklin | 207,300 | 211,000 | 176,250 |
| Grant | 0 | 0 | 8,700 |
| Lasalle | 0 | 0 | 650 |
| Madison <u>1/</u> | | | |
| Morehouse | 154,300 | 157,850 | 166,050 |
| Natchitoches <u>1/</u> | | | |
| Ouachita <u>1/</u> | | | |
| Pointe Coupe <u>1/</u> | | | |
| Rapides | 65,100 | 66,600 | 52,600 |
| Red River <u>1/</u> | | | |
| Richland | 209,650 | 212,100 | 156,450 |
| Saint Landry | 0 | 0 | 5,850 |
| Tensas | 136,250 | 139,350 | 150,800 |
| Union | 0 | 0 | 4,750 |
| Webster | 0 | 0 | 900 |
| West Baton r | 0 | 0 | 150 |
| West Carroll | 52,050 | 53,700 | 77,550 |
| West Felicia | 0 | 0 | 1,100 |
| Louisiana | 1,295,750 | 1,319,500 | 1,275,350 |
| Adams | 0 | 0 | 7,400 |
| Alcorn <u>1/</u> | | | |
| Attala | 0 | 0 | 11,000 |
| Benton <u>1/</u> | | | |
| Bolivar | 122,200 | 125,450 | 127,200 |
| Calhoun | 41,350 | 42,450 | 36,900 |
| Carroll <u>1/</u> | | | |
| Chickasaw <u>1/</u> | | | |

See footnotes at end of table.

-- continued

Cotton Ginnings: All Cotton Running Bales Ginned (Excluding Linters),
Equivalent 480-Pound Bales Ginned, and Running Bales Produced
by County, State, and United States, Crop Year 1992 (continued)

| County and State | Running Bales Ginned | Equivalent 480-Pound Bales Ginned | Running Bales Produced |
|----------------------|-------------------------|--------------------------------------|---------------------------|
| Choctaw | 0 | 0 | 900 |
| Claiborne | 0 | 0 | 5,250 |
| Clay | 0 | 0 | 4,000 |
| Coahoma | 181,350 | 184,300 | 170,700 |
| Copiah <u>1/</u> | 0 | 0 | 100 |
| Covington | 0 | 0 | 27,550 |
| Desoto | 25,000 | 25,700 | 350 |
| Franklin | 0 | 0 | 50 |
| Grenada <u>1/</u> | 0 | 0 | 50 |
| Hancock | 0 | 0 | 21,400 |
| Hinds | 23,200 | 23,600 | 93,750 |
| Holmes | 107,150 | 108,150 | 0 |
| Humphreys <u>1/</u> | 0 | 0 | 0 |
| Issaquena <u>1/</u> | 0 | 0 | 0 |
| Itawamba <u>1/</u> | 0 | 0 | 0 |
| Jefferson <u>1/</u> | 0 | 0 | 0 |
| Kemper | 0 | 0 | 50 |
| Lafayette <u>1/</u> | 0 | 0 | 1,300 |
| Lawrence | 0 | 0 | 0 |
| Leake <u>1/</u> | 0 | 0 | 0 |
| Lee <u>1/</u> | 0 | 0 | 0 |
| Leflore | 159,750 | 163,900 | 147,100 |
| Lowndes | 0 | 0 | 9,000 |
| Madison | 39,500 | 40,600 | 57,750 |
| Marshall | 19,200 | 20,100 | 19,400 |
| Monroe <u>1/</u> | 0 | 0 | 0 |
| Montgomery <u>1/</u> | 0 | 0 | 0 |
| Newton | 0 | 0 | 450 |
| Noxubee | 0 | 0 | 10,400 |
| Oktibbeha | 0 | 0 | 300 |
| Panola | 68,650 | 71,050 | 64,550 |
| Pearl River | 0 | 0 | 750 |
| Pike | 0 | 0 | 350 |
| Pontotoc <u>1/</u> | 0 | 0 | 0 |
| Prentiss <u>1/</u> | 0 | 0 | 0 |
| Quitman | 75,650 | 77,200 | 69,950 |
| Rankin <u>1/</u> | 0 | 0 | 0 |
| Scott | 0 | 0 | 5,300 |
| Sharkey | 103,450 | 106,550 | 96,400 |
| Sunflower | 171,700 | 176,300 | 142,050 |
| Tallahatchie | 117,150 | 120,800 | 132,700 |

See footnotes at end of table.

-- continued

Cotton Ginnings: All Cotton Running Bales Ginned (Excluding Linters),
Equivalent 480-Pound Bales Ginned, and Running Bales Produced
by County, State, and United States, Crop Year 1992 (continued)

| County and State | Running Bales Ginned | Equivalent 480-Pound Bales Ginned | Running Bales Produced |
|----------------------|-------------------------|--------------------------------------|---------------------------|
| Tate | 20,100 | 20,750 | 20,900 |
| Tippah <u>1</u> / | | | |
| Tishomingo | 0 | 0 | 400 |
| Tunica | 84,400 | 86,250 | 83,500 |
| Union <u>1</u> / | | | |
| Warren <u>1</u> / | | | |
| Washington | 169,150 | 174,650 | 167,100 |
| Webster <u>1</u> / | | | |
| Wilkinson | 0 | 0 | 3,600 |
| Winston <u>1</u> / | | | |
| Yalobusha <u>1</u> / | | | |
| Yazoo | 189,350 | 193,850 | 150,200 |
| Mississippi | 2,074,350 | 2,123,200 | 2,081,200 |
| Butler | 0 | 0 | 850 |
| Dunklin | 201,200 | 202,600 | 216,750 |
| Mississippi | 0 | 0 | 4,000 |
| New Madrid | 178,300 | 180,150 | 142,450 |
| Pemiscot | 100,250 | 100,650 | 100,900 |
| Scott <u>1</u> / | | | |
| Stoddard <u>1</u> / | | | |
| Other <u>4</u> / | | | 14,700 |
| Missouri | 530,100 | 535,200 | 535,250 |
| Chaves <u>1</u> / | | | |
| Curry | 0 | 0 | 150 |
| Dona Ana | 25,400 | 25,750 | 32,850 |
| Eddy | 9,150 | 9,450 | 11,950 |
| Hidalgo <u>1</u> / | | | |
| Lea <u>1</u> / | | | |
| Luna <u>1</u> / | | | |
| Quay <u>1</u> / | | | |
| Roosevelt <u>1</u> / | | | |
| Other <u>4</u> / | | | 1,300 |
| New Mexico | 58,150 | 59,150 | 65,900 |
| Anson <u>1</u> / | | | |
| Bertie <u>1</u> / | | | |
| Bladen <u>1</u> / | | | |
| Camden | 0 | 0 | 500 |

See footnotes at end of table.

-- continued

Cotton Ginnings: All Cotton Running Bales Ginned (Excluding Linters),
Equivalent 480-Pound Bales Ginned, and Running Bales Produced
by County, State, and United States, Crop Year 1992 (continued)

| County and State | Running Bales Ginned | Equivalent 480-Pound Bales Ginned | Running Bales Produced |
|----------------------|-------------------------|--------------------------------------|---------------------------|
| Catawba <u>2/</u> | 0 | 0 | |
| Chowan | 0 | 0 | 13,500 |
| Cleveland <u>1/</u> | | | |
| Columbus | 0 | 0 | 1,100 |
| Craven | 0 | 0 | 10,700 |
| Cumberland | 0 | 0 | 6,550 |
| Duplin | 0 | 0 | 8,300 |
| Edgecombe <u>1/</u> | | | |
| Franklin | 0 | 0 | 50 |
| Gaston | 0 | 0 | 50 |
| Gates <u>1/</u> | | | |
| Greene <u>1/</u> | | | |
| Halifax | 68,400 | 70,400 | 52,650 |
| Harnett <u>1/</u> | | | |
| Hertford <u>1/</u> | | | |
| Hoke <u>1/</u> | | | |
| Hyde | 0 | 0 | 1,200 |
| Johnston | 0 | 0 | 14,550 |
| Jones <u>1/</u> | | | |
| Lee | 0 | 0 | 300 |
| Lenoir <u>1/</u> | | | |
| Lincoln | 0 | 0 | 50 |
| Martin <u>1/</u> | | | |
| Nash <u>1/</u> | | | |
| Northampton | 35,350 | 36,100 | 33,500 |
| Onslow | 0 | 0 | 100 |
| Pasquotank | 0 | 0 | 1,600 |
| Perquimans <u>1/</u> | | | |
| Pitt <u>1/</u> | | | |
| Richmond | 0 | 0 | 1,150 |
| Robeson <u>1/</u> | | | |
| Rutherford <u>1/</u> | | | |
| Sampson | 54,200 | 53,700 | 40,800 |
| Scotland <u>1/</u> | | | |
| Stanly | 0 | 0 | 650 |
| Union | 0 | 0 | 1,200 |
| Wake | 0 | 0 | 3,950 |
| Washington | 0 | 0 | 400 |
| Wayne <u>1/</u> | | | |
| Wilson <u>1/</u> | | | |
| Other <u>4/</u> | | | 44,700 |
| North Carolina | 460,700 | 472,600 | 456,200 |

See footnotes at end of table.

-- continued

Cotton Ginnings: All Cotton Running Bales Ginned (Excluding Linters),
Equivalent 480-Pound Bales Ginned, and Running Bales Produced
by County, State, and United States, Crop Year 1992 (continued)

| County and State | Running Bales Ginned | Equivalent 480-Pound Bales Ginned | Running Bales Produced |
|---------------------|-------------------------|--------------------------------------|---------------------------|
| Beckham | 11,600 | 12,200 | 9,250 |
| Bryan <u>1/</u> | | | |
| Caddo | 4,300 | 4,350 | 3,400 |
| Canadian <u>1/</u> | | | |
| Cleveland | 0 | 0 | 50 |
| Coal | 0 | 0 | 50 |
| Comanche | 0 | 0 | 2,950 |
| Cotton <u>1/</u> | | | |
| Custer <u>1/</u> | | | |
| Dewey | 0 | 0 | 150 |
| Garfield <u>2/</u> | 0 | 0 | |
| Garvin | 0 | 0 | 1,050 |
| Grady <u>1/</u> | | | |
| Greer <u>1/</u> | | | |
| Harmon | 19,950 | 20,700 | 21,500 |
| Jackson | 50,850 | 52,750 | 48,100 |
| Jefferson | 0 | 0 | 50 |
| Kiowa | 18,300 | 14,400 | 18,450 |
| Mcclain <u>1/</u> | | | |
| Mcintosh <u>2/</u> | 0 | 0 | |
| Roger Mills | 0 | 0 | 1,200 |
| Stephens <u>1/</u> | | | |
| Tillman | 59,900 | 61,450 | 54,350 |
| Washita | 19,650 | 20,050 | 22,850 |
| Oklahoma | 204,150 | 210,300 | 203,500 |
| Aiken <u>1/</u> | | | |
| Allendale <u>1/</u> | | | |
| Anderson <u>1/</u> | | | |
| Bamberg | 0 | 0 | 1,050 |
| Barnwell <u>1/</u> | | | |
| Calhoun | 27,350 | 27,500 | 26,950 |
| Chester | 0 | 0 | 350 |
| Chesterfield | 0 | 0 | 250 |
| Clarendon <u>1/</u> | | | |
| Darlington | 13,050 | 13,750 | 17,000 |
| Dillon <u>1/</u> | | | |
| Dorchester | 0 | 0 | 2,100 |
| Florence | 0 | 0 | 2,450 |
| Hampton | 0 | 0 | 9,000 |

See footnotes at end of table

-- continued

Cotton Ginnings: All Cotton Running Bales Ginned (Excluding Linters),
Equivalent 480-Pound Bales Ginned, and Running Bales Produced
by County, State, and United States, Crop Year 1992 (continued)

| County and State | Running Bales Ginned | Equivalent 480-Pound Bales Ginned | Running Bales Produced |
|------------------------|-------------------------|--------------------------------------|---------------------------|
| Jasper | 0 | 0 | 150 |
| Kershaw | 0 | 0 | 800 |
| Lancaster <u>2/</u> | 0 | 0 | |
| Lee | 31,300 | 31,550 | 26,300 |
| Lexington | 0 | 0 | 2,250 |
| Marion | 0 | 0 | 1,600 |
| Marlboro | 30,950 | 32,200 | 27,200 |
| Orangeburg | 30,250 | 31,000 | 22,350 |
| Richland | 0 | 0 | 900 |
| Saluda <u>1/</u> | | | |
| Sumter | 22,050 | 22,650 | 17,550 |
| Union <u>2/</u> | 0 | 0 | |
| Williamsburg <u>1/</u> | | | |
| York <u>1/</u> | | | |
| Other <u>4/</u> | | | 2,550 |
| South Carolina | 212,400 | 217,500 | 220,300 |
| Carroll <u>1/</u> | | | |
| Chester | 0 | 0 | 5,800 |
| Coffee | 0 | 0 | 1,000 |
| Crockett | 168,200 | 169,200 | 120,300 |
| Dyer <u>1/</u> | | | |
| Fayette | 64,300 | 67,150 | 58,150 |
| Franklin | 0 | 0 | 3,350 |
| Gibson | 91,250 | 91,300 | 89,300 |
| Giles | 0 | 0 | 650 |
| Hardeman <u>1/</u> | | | |
| Hardin | 0 | 0 | 800 |
| Haywood | 167,400 | 170,650 | 148,150 |
| Henderson | 0 | 0 | 1,750 |
| Henry | 0 | 0 | 1,100 |
| Lake | 0 | 0 | 21,550 |
| Lauderdale | 85,350 | 87,150 | 81,950 |
| Lawrence | 0 | 0 | 3,100 |
| Lincoln <u>1/</u> | | | |
| Madison | 38,300 | 38,650 | 61,900 |
| Marshall <u>2/</u> | 0 | 0 | |
| Maury | 0 | 0 | 450 |
| Mcnairy <u>1/</u> | | | |
| Montgomery | 0 | 0 | 600 |
| Obion <u>1/</u> | | | |

See footnotes at end of table.

-- continued

Cotton Ginnings: All Cotton Running Bales Ginned (Excluding Linters),
Equivalent 480-Pound Bales Ginned, and Running Bales Produced
by County, State, and United States, Crop Year 1992 (continued)

| County and State | Running Bales Ginned | Equivalent 480-Pound Bales Ginned | Running Bales Produced |
|---------------------|-------------------------|--------------------------------------|---------------------------|
| Robertson | 0 | 0 | 100 |
| Rutherford | 0 | 0 | 1,700 |
| Shelby | 6,250 | 6,450 | 30,400 |
| Tipton | 116,400 | 118,950 | 84,000 |
| Warren | 0 | 0 | 100 |
| Wayne | 0 | 0 | 50 |
| Weakley | 0 | 0 | 1,250 |
| Tennessee | 812,650 | 826,000 | 819,900 |
| Anderson 2/ | 0 | 0 | |
| Andrews | 0 | 0 | 2,400 |
| Aransas | 0 | 0 | 100 |
| Archer | 0 | 0 | 4,100 |
| Armstrong | 0 | 0 | 200 |
| Atascosa | 0 | 0 | 100 |
| Austin | 0 | 0 | 1,600 |
| Bailey | 4,900 | 5,050 | 3,000 |
| Bastrop | 0 | 0 | 50 |
| Baylor 1/ | 0 | 0 | |
| Bee | 0 | 0 | 1,300 |
| Bell 1/ | 0 | 0 | |
| Bexar 2/ | 0 | 0 | |
| Borden 1/ | 0 | 0 | |
| Bowie | 0 | 0 | 550 |
| Brazoria | 13,450 | 13,750 | 3,550 |
| Brazos | 41,200 | 42,300 | 21,550 |
| Briscoe 1/ | 0 | 0 | |
| Burleson 1/ | 0 | 0 | |
| Caldwell 1/ | 0 | 0 | |
| Calhoun 1/ | 0 | 0 | |
| Callahan | 0 | 0 | 50 |
| Cameron | 73,800 | 76,550 | 87,450 |
| Castro | 8,100 | 8,350 | 12,900 |
| Childress 1/ | 0 | 0 | |
| Clay 1/ | 0 | 0 | |
| Cochran 1/ | 0 | 0 | |
| Coleman 1/ | 0 | 0 | |
| Collin | 8,100 | 8,050 | 4,750 |
| Collingsworth | 38,400 | 40,150 | 33,200 |

See footnotes at end of table.

-- continued

Cotton Ginnings: All Cotton Running Bales Ginned (Excluding Linters),
Equivalent 480-Pound Bales Ginned, and Running Bales Produced
by County, State, and United States, Crop Year 1992 (continued)

| County and State | Running Bales Ginned | Equivalent 480-Pound Bales Ginned | Running Bales Produced |
|----------------------|-------------------------|--------------------------------------|---------------------------|
| Colorado | 0 | 0 | 1,400 |
| Concho <u>1/</u> | | | |
| Cooke | 0 | 0 | 50 |
| Coryell | 0 | 0 | 250 |
| Cottle <u>1/</u> | | | |
| Crosby | 61,700 | 64,500 | 60,150 |
| Culberson | 0 | 0 | 50 |
| Dawson | 130,700 | 133,650 | 137,350 |
| De Witt | 0 | 0 | 300 |
| Deaf Smith <u>1/</u> | | | |
| Delta <u>1/</u> | | | |
| Denton <u>1/</u> | | | |
| Dickens <u>1/</u> | | | |
| Donley <u>1/</u> | | | |
| El Paso <u>1/</u> | | | |
| Ellis | 16,150 | 16,850 | 13,650 |
| Falls <u>1/</u> | | | |
| Fannin <u>1/</u> | | | |
| Fisher <u>1/</u> | | | |
| Floyd | 17,700 | 18,600 | 18,100 |
| Foard <u>1/</u> | | | |
| Fort Bend | 50,650 | 51,400 | 35,350 |
| Frio | 0 | 0 | 900 |
| Gaines | 277,650 | 287,000 | 289,750 |
| Garza | 22,300 | 23,100 | 31,750 |
| Glasscock <u>1/</u> | | | |
| Gonzales | 0 | 0 | 150 |
| Gray | 0 | 0 | 500 |
| Grayson | 0 | 0 | 350 |
| Guadalupe <u>2/</u> | 0 | 0 | |
| Hale | 18,100 | 18,850 | 13,050 |
| Hall | 57,500 | 59,300 | 54,350 |
| Hardeman <u>1/</u> | | | |
| Hartley | 0 | 0 | 4,300 |
| Haskell | 46,950 | 48,050 | 50,350 |
| Hays | 0 | 0 | 600 |
| Hemphill | 0 | 0 | 50 |
| Hidalgo | 87,400 | 90,000 | 76,350 |
| Hill | 18,900 | 19,450 | 13,700 |
| Hockley | 92,500 | 95,400 | 72,900 |
| Houston <u>1/</u> | | | |

See footnotes at end of table.

-- continued

Cotton Ginnings: All Cotton Running Bales Ginned (Excluding Linters),
Equivalent 480-Pound Bales Ginned, and Running Bales Produced
by County, State, and United States, Crop Year 1992 (continued)

| County and State | Running Bales Ginned | Equivalent 480-Pound Bales Ginned | Running Bales Produced |
|---------------------|-------------------------|--------------------------------------|---------------------------|
| Howard | 59,300 | 61,400 | 53,800 |
| Hudspeth | 0 | 0 | 16,250 |
| Hunt <u>1/</u> | | | |
| Irion | 0 | 0 | 250 |
| Jackson <u>1/</u> | | | |
| Jefferson | 0 | 0 | 150 |
| Jim Wells | 0 | 0 | 8,250 |
| Johnson | 0 | 0 | 600 |
| Jones | 52,250 | 54,450 | 36,650 |
| Kaufman <u>1/</u> | | | |
| Kent <u>1/</u> | | | |
| King <u>1/</u> | | | |
| Kinney | 0 | 0 | 150 |
| Kleberg <u>1/</u> | | | |
| Knox | 17,550 | 18,350 | 17,100 |
| Lamar <u>1/</u> | | | |
| Lamb | 15,450 | 16,050 | 11,450 |
| Lee | 0 | 0 | 2,600 |
| Leon | 0 | 0 | 350 |
| Limestone | 0 | 0 | 2,650 |
| Live Oak | 0 | 0 | 1,850 |
| Lubbock | 72,300 | 74,600 | 61,300 |
| Lynn | 194,700 | 200,200 | 159,650 |
| Martin | 124,950 | 129,150 | 72,150 |
| Matagorda <u>1/</u> | | | |
| Mcculloch <u>1/</u> | | | |
| Mclennan <u>1/</u> | | | |
| Medina <u>1/</u> | | | |
| Midland <u>1/</u> | | | |
| Milam | 22,200 | 22,800 | 22,500 |
| Mitchell | 36,500 | 37,350 | 24,850 |
| Motley <u>1/</u> | | | |
| Navarro | 15,650 | 16,300 | 26,450 |
| Nolan <u>1/</u> | | | |
| Nueces | 69,350 | 71,700 | 77,000 |
| Parmer | 2,950 | 3,050 | 3,150 |
| Pecos <u>1/</u> | | | |
| Reagan <u>1/</u> | | | |
| Red River | 0 | 0 | 6,100 |
| Reeves <u>1/</u> | | | |
| Refugio <u>1/</u> | | | |

See footnotes at end of table.

-- continued

Cotton Ginnings: All Cotton Running Bales Ginned (Excluding Linters),
Equivalent 480-Pound Bales Ginned, and Running Bales Produced
by County, State, and United States, Crop Year 1992 (continued)

| County and State | Running Bales Ginned | Equivalent 480-Pound Bales Ginned | Running Bales Produced |
|------------------------|-------------------------|--------------------------------------|---------------------------|
| Robertson | 47,900 | 49,850 | 40,850 |
| Rockwall | 0 | 0 | 50 |
| Runnels | 31,950 | 33,100 | 21,600 |
| San Patricio | 124,950 | 126,400 | 86,550 |
| Schleicher <u>1/</u> | | | |
| Scurry | 51,200 | 53,550 | 18,250 |
| Shackelford | 0 | 0 | 800 |
| Starr <u>1/</u> | | | |
| Stephens | 0 | 0 | 450 |
| Stonewall | 0 | 0 | 700 |
| Swisher <u>1/</u> | | | |
| Tarrant | 0 | 0 | 300 |
| Taylor <u>1/</u> | | | |
| Terry | 117,900 | 121,850 | 130,600 |
| Throckmorton <u>1/</u> | | | |
| Tom Green | 46,650 | 47,800 | 47,800 |
| Travis <u>1/</u> | | | |
| Upton <u>1/</u> | | | |
| Uvalde <u>1/</u> | | | |
| Val Verde | 0 | 0 | 950 |
| Van Zandt | 0 | 0 | 300 |
| Victoria | 0 | 0 | 14,150 |
| Walker <u>1/</u> | | | |
| Ward | 0 | 0 | 100 |
| Wharton | 99,500 | 100,600 | 58,900 |
| Wheeler <u>1/</u> | | | |
| Wichita <u>1/</u> | | | |
| Wilbarger | 42,250 | 42,700 | 17,000 |
| Willacy | 103,200 | 106,450 | 85,600 |
| Williamson | 58,250 | 59,650 | 33,450 |
| Wilson | 0 | 0 | 100 |
| Yoakum | 104,700 | 107,100 | 94,200 |
| Young <u>1/</u> | | | |
| Zavala <u>1/</u> | | | |
| Oth <u>4/</u> | | | 255,800 |
| Texas | 3,226,750 | 3,323,550 | 3,219,500 |
| Virginia | 24,600 | 24,650 | 28,100 |
| US Total | 15,785,650 | 16,208,000 | 15,785,650 |

1/ Withheld to avoid disclosing individual gins.

2/ Less than 50 bales produced.

3/ No gins operated in crop year 1992.

4/ County of origin was not determined.

Note: Counties may not add to State total due to rounding.

Cotton Ginnings: Number of Active Gins, Average Bale Weight,
and Rank by County, State, and United States, Crop Year 1992

| County and State | Number of Active Gins | Average Weight per Running Bale Ginned | Rank by Running Bales Produced |
|---------------------|--------------------------|---|-----------------------------------|
| | Number | Pounds | Rank |
| Autauga | 2 | 521.3 | 173 |
| Baldwin | 1 | 481.6 | 205 |
| Barbour | 0 | 0.0 | 253 |
| Bibb | 1 | 512.2 | 493 |
| Blount | 1 | 492.8 | 385 |
| Bullock | 0 | 0.0 | 495 |
| Butler | 0 | 0.0 | 432 |
| Calhoun | 0 | 0.0 | 438 |
| Cherokee | 4 | 485.2 | 118 |
| Chilton | 1 | 495.0 | 366 |
| Choctaw | 0 | 0.0 | 443 |
| Coffee | 0 | 0.0 | 313 |
| Colbert | 3 | 498.2 | 90 |
| Conecuh | 0 | 0.0 | 220 |
| Covington | 1 | 501.0 | 415 |
| Crenshaw | 3 | 493.4 | 368 |
| Cullman | 0 | 0.0 | 408 |
| Dale | 0 | 0.0 | 354 |
| Dallas | 5 | 495.9 | 144 |
| Dekalb | 1 | 490.0 | 466 |
| Elmore | 3 | 501.7 | 127 |
| Escambia | 1 | 510.2 | 135 |
| Etowah | 0 | 0.0 | 377 |
| Fayette | 1 | 506.8 | 337 |
| Franklin | 0 | 0.0 | 504 |
| Geneva | 1 | 502.4 | 239 |
| Greene | 1 | 500.4 | 399 |
| Hale | 1 | 500.0 | 412 |
| Henry | 1 | 488.3 | 237 |
| Houston | 1 | 483.0 | 251 |
| Lamar | 0 | 0.0 | 431 |
| Lauderdale | 3 | 494.5 | 109 |
| Lawrence | 4 | 504.8 | 73 |
| Lee | 0 | 0.0 | 358 |
| Limestone | 9 | 503.7 | 47 |
| Lowndes | 2 | 502.8 | 246 |
| Macon | 2 | 492.2 | 307 |
| Madison | 4 | 491.5 | 63 |
| Marengo | 1 | 476.7 | 332 |
| Marshall | 0 | 0.0 | 478 |
| Mobile | 0 | 0.0 | 257 |

See footnotes at end of table.

-- continued

Cotton Ginnings: Number of Active Gins, Average Bale Weight,
and Rank by County, State, and United States, Crop Year 1992 (continued)

| County and State | Number of Active Gins | Average Weight per Running Bale Ginned | Rank by Running Bales Produced |
|---------------------|--------------------------|---|-----------------------------------|
| | Number | Pounds | Rank |
| Monroe | 1 | 502.1 | 111 |
| Montgomery | 0 | 0.0 | 361 |
| Morgan | 1 | 510.0 | 273 |
| Pickens | 1 | 498.4 | 291 |
| Pike | 0 | 0.0 | 349 |
| Russell | 2 | 483.0 | 261 |
| Shelby | 2 | 493.0 | 266 |
| Talladega | 0 | 0.0 | 398 |
| Tallapoosa | 1 | 500.0 | 494 |
| Tuscaloosa | 2 | 490.6 | 231 |
| Washington | 0 | 0.0 | 401 |
| Wilcox | 0 | 0.0 | 319 |
| Alabama | 68 | 499.1 | |
| Cochise | 6 | 492.8 | 192 |
| Graham | 4 | 490.8 | 100 |
| Greenlee | 1 | 486.1 | 394 |
| La Paz | 4 | 491.4 | 45 |
| Maricopa | 29 | 490.7 | 7 |
| Mohave | 1 | 495.8 | 207 |
| Pima | 5 | 492.3 | 114 |
| Pinal | 26 | 492.0 | 5 |
| Yuma | 5 | 497.3 | 74 |
| Arizona | 81 | 491.8 | |
| Arkansas | 0 | 0.0 | 88 |
| Ashley | 6 | 485.1 | 37 |
| Bradley | 0 | 0.0 | 555 |
| Chicot | 4 | 488.9 | 41 |
| Clark | 0 | 0.0 | 461 |
| Clay | 3 | 484.3 | 121 |
| Craighead | 11 | 484.1 | 15 |
| Crittenden | 5 | 487.5 | 51 |
| Cross | 1 | 501.0 | 333 |
| Desha | 8 | 488.2 | 25 |
| Drew | 1 | 479.0 | 138 |
| Greene | 3 | 493.9 | 136 |
| Jackson | 0 | 0.0 | 508 |
| Jefferson | 15 | 492.2 | 32 |

See footnotes at end of table.

-- continued

Cotton Ginnings: Number of Active Gins, Average Bale Weight,
and Rank by County, State, and United States, Crop Year 1992 (continued)

| County and State | Number of Active Gins | Average Weight per Running Bale Ginned | Rank by Running Bales Produced |
|---------------------|--------------------------|---|-----------------------------------|
| | Number | Pounds | Rank |
| Lafayette | 2 | 500.0 | 197 |
| Lee | 4 | 494.6 | 80 |
| Lincoln | 5 | 480.9 | 84 |
| Lonoke | 9 | 485.5 | 72 |
| Miller | 1 | 495.0 | 352 |
| Mississippi | 14 | 486.2 | 4 |
| Monroe | 3 | 486.5 | 87 |
| Phillips | 9 | 494.6 | 16 |
| Poinsett | 10 | 490.9 | 33 |
| Prairie | 1 | 480.0 | 378 |
| Pulaski | 0 | 0.0 | 386 |
| Saint Francis | 5 | 485.1 | 94 |
| Woodruff | 1 | 500.0 | 314 |
| Arkansas | 121 | 488.3 | |
| Fresno | 49 | 497.4 | 1 |
| Imperial | 1 | 471.6 | 228 |
| Kern | 27 | 496.8 | 2 |
| Kings | 16 | 496.8 | 3 |
| Madera | 7 | 500.0 | 31 |
| Merced | 7 | 497.7 | 10 |
| Riverside | 4 | 493.7 | 141 |
| San Bernardi | 0 | 0.0 | 404 |
| Tulare | 10 | 497.5 | 6 |
| California | 121 | 497.2 | |
| Florida <u>1/</u> | 4 | 494.8 | |
| Appling | 1 | 502.8 | 278 |
| Atkinson | 0 | 0.0 | 351 |
| Bacon | 0 | 0.0 | 405 |
| Baker | 0 | 0.0 | 233 |
| Bartow | 1 | 529.0 | 371 |
| Ben Hill | 0 | 0.0 | 340 |
| Berrien | 0 | 0.0 | 232 |
| Bleckley | 1 | 500.9 | 187 |
| Brooks | 2 | 500.2 | 103 |
| Bryan | 0 | 0.0 | 513 |
| Bulloch | 1 | 486.0 | 209 |

See footnotes at end of table.

-- continued

Cotton Ginnings: Number of Active Gins, Average Bale Weight,
and Rank by County, State, and United States, Crop Year 1992 (continued)

| County and State | Number of Active Gins | Average Weight per Running Bale Ginned | Rank by Running Bales Produced |
|---------------------|--------------------------|---|-----------------------------------|
| | Number | Pounds | Rank |
| Burke | 4 | 501.7 | 128 |
| Calhoun | 3 | 489.1 | 193 |
| Candler | 1 | 515.0 | 321 |
| Clay | 0 | 0.0 | 293 |
| Coffee | 0 | 0.0 | 287 |
| Colquitt | 6 | 497.1 | 59 |
| Cook | 1 | 494.0 | 178 |
| Crawford | 1 | 501.7 | 374 |
| Crisp | 1 | 485.9 | 201 |
| Decatur | 1 | 490.0 | 102 |
| Dodge | 1 | 500.0 | 221 |
| Dooly | 8 | 508.4 | 60 |
| Dougherty | 0 | 0.0 | 309 |
| Early | 1 | 496.7 | 147 |
| Echols | 0 | 0.0 | 484 |
| Effingham | 0 | 0.0 | 534 |
| Elbert | 1 | 500.0 | 400 |
| Emanuel | 0 | 0.0 | 269 |
| Evans | 0 | 0.0 | 523 |
| Floyd | 0 | 0.0 | 379 |
| Glascock | 0 | 0.0 | 535 |
| Gordon | 0 | 0.0 | 470 |
| Hart | 0 | 0.0 | 533 |
| Houston | 0 | 0.0 | 263 |
| Irwin | 1 | 495.0 | 264 |
| Jeff Davis | 1 | 497.0 | 262 |
| Jefferson | 2 | 510.8 | 210 |
| Jenkins | 0 | 0.0 | 276 |
| Johnson | 1 | 506.0 | 365 |
| Lamar | 0 | 0.0 | 444 |
| Lanier | 0 | 0.0 | 364 |
| Laurens | 2 | 498.0 | 292 |
| Lee | 1 | 493.0 | 311 |
| Lowndes | 1 | 501.0 | 259 |
| Macon | 0 | 0.0 | 216 |
| McDuffie | 0 | 0.0 | 522 |
| Miller | 0 | 0.0 | 225 |
| Mitchell | 1 | 500.0 | 115 |
| Montgomery | 0 | 0.0 | 416 |
| Morgan | 2 | 505.0 | 409 |
| Oconee | 0 | 0.0 | 496 |

See footnotes at end of table.

-- continued

Cotton Ginnings: Number of Active Gins, Average Bale Weight,
and Rank by County, State, and United States, Crop Year 1992 (continued)

| County and State | Number of Active Gins | Average Weight per Running Bale Ginned | Rank by Running Bales Produced |
|---------------------|--------------------------|---|-----------------------------------|
| | Number | Pounds | Rank |
| Peach | 0 | 0.0 | 302 |
| Pierce | 0 | 0.0 | 305 |
| Polk | 0 | 0.0 | 387 |
| Pulaski | 2 | 496.3 | 113 |
| Quitman | 0 | 0.0 | 425 |
| Randolph | 1 | 475.0 | 268 |
| Richmond | 0 | 0.0 | 536 |
| Schley | 0 | 0.0 | 511 |
| Screven | 2 | 498.9 | 286 |
| Seminole | 1 | 488.0 | 183 |
| Stewart | 0 | 0.0 | 369 |
| Sumter | 0 | 0.0 | 254 |
| Tattnall | 0 | 0.0 | 524 |
| Taylor | 0 | 0.0 | 363 |
| Telfair | 0 | 0.0 | 480 |
| Terrell | 0 | 0.0 | 312 |
| Thomas | 1 | 491.0 | 134 |
| Tift | 2 | 488.8 | 203 |
| Toombs | 0 | 0.0 | 454 |
| Treutlen | 0 | 0.0 | 413 |
| Turner | 2 | 500.2 | 202 |
| Twiggs | 0 | 0.0 | 388 |
| Upton | 0 | 0.0 | 512 |
| Walton | 0 | 0.0 | 467 |
| Ware | 0 | 0.0 | 509 |
| Warren | 0 | 0.0 | 471 |
| Washington | 0 | 0.0 | 296 |
| Wayne | 0 | 0.0 | 330 |
| Webster | 0 | 0.0 | 479 |
| Wheeler | 0 | 0.0 | 483 |
| Wilcox | 1 | 500.0 | 218 |
| Wilkinson | 0 | 0.0 | 497 |
| Worth | 0 | 0.0 | 123 |
| Georgia | 59 | 498.0 | |
| Kansas <u>1/ 2/</u> | | | |
| Acadia | 0 | 0.0 | 485 |
| Avoyelles | 1 | 482.7 | 125 |
| Bienville | 0 | 0.0 | 417 |

See footnotes at end of table.

-- continued

Cotton Ginnings: Number of Active Gins, Average Bale Weight,
and Rank by County, State, and United States, Crop Year 1992 (continued)

| County and State | Number of Active Gins | Average Weight per Running Bale Ginned | Rank by Running Bales Produced |
|---------------------|--------------------------|---|-----------------------------------|
| | Number | Pounds | Rank |
| Bossier | 0 | 0.0 | 303 |
| Caddo | 7 | 496.3 | 96 |
| Caldwell | 1 | 490.0 | 142 |
| Catahoula | 3 | 481.4 | 62 |
| Claiborne | 0 | 0.0 | 472 |
| Concordia | 3 | 487.0 | 89 |
| Desoto | 0 | 0.0 | 422 |
| East Carroll | 7 | 490.0 | 34 |
| Evangeline | 0 | 0.0 | 434 |
| Franklin | 15 | 488.6 | 11 |
| Grant | 0 | 0.0 | 245 |
| Lasalle | 0 | 0.0 | 455 |
| Madison | 2 | 487.7 | 56 |
| Morehouse | 6 | 491.1 | 14 |
| Natchitoches | 2 | 493.6 | 122 |
| Ouachita | 1 | 480.0 | 112 |
| Pointe Coupe | 1 | 475.3 | 179 |
| Rapides | 5 | 491.2 | 79 |
| Red River | 1 | 486.9 | 226 |
| Richland | 10 | 485.6 | 18 |
| Saint Landry | 0 | 0.0 | 279 |
| Tensas | 7 | 490.9 | 19 |
| Union | 0 | 0.0 | 299 |
| Webster | 0 | 0.0 | 439 |
| West Baton r | 0 | 0.0 | 514 |
| West Carroll | 5 | 495.4 | 53 |
| West Felicia | 0 | 0.0 | 426 |
| Louisiana | 77 | 488.8 | |
| Adams | 0 | 0.0 | 260 |
| Alcorn | 1 | 515.0 | 375 |
| Attala | 0 | 0.0 | 219 |
| Benton | 3 | 487.5 | 244 |
| Bolivar | 10 | 492.7 | 29 |
| Calhoun | 4 | 492.6 | 97 |
| Carroll | 2 | 496.1 | 133 |
| Chickasaw | 1 | 487.0 | 258 |
| Choctaw | 0 | 0.0 | 440 |
| Claiborne | 0 | 0.0 | 290 |
| Clay | 0 | 0.0 | 316 |

See footnotes at end of table.

-- continued

Cotton Ginnings: Number of Active Gins, Average Bale Weight,
and Rank by County, State, and United States, Crop Year 1992 (continued)

| County and State | Number of Active Gins | Average Weight per Running Bale Ginned | Rank by Running Bales Produced |
|---------------------|--------------------------|---|-----------------------------------|
| | Number | Pounds | Rank |
| Coahoma | 13 | 487.8 | 12 |
| Copiah | 1 | 492.9 | 435 |
| Covington | 0 | 0.0 | 525 |
| Desoto | 3 | 493.6 | 124 |
| Franklin | 0 | 0.0 | 486 |
| Grenada | 2 | 484.3 | 165 |
| Hancock | 0 | 0.0 | 538 |
| Hinds | 3 | 488.7 | 154 |
| Holmes | 8 | 484.5 | 40 |
| Humphreys | 5 | 486.9 | 36 |
| Issaquena | 1 | 472.1 | 69 |
| Itawamba | 2 | 478.8 | 328 |
| Jefferson | 1 | 490.0 | 256 |
| Kemper | 0 | 0.0 | 537 |
| Lafayette | 1 | 489.6 | 255 |
| Lawrence | 0 | 0.0 | 410 |
| Leake | 1 | 480.0 | 323 |
| Lee | 1 | 480.0 | 248 |
| Leflore | 14 | 492.5 | 22 |
| Lowndes | 0 | 0.0 | 242 |
| Madison | 4 | 493.3 | 71 |
| Marshall | 4 | 502.0 | 162 |
| Monroe | 2 | 491.1 | 163 |
| Montgomery | 2 | 498.9 | 188 |
| Newton | 0 | 0.0 | 473 |
| Noxubee | 0 | 0.0 | 227 |
| Oktibbeha | 0 | 0.0 | 498 |
| Panola | 6 | 496.8 | 64 |
| Pearl River | 0 | 0.0 | 451 |
| Pike | 0 | 0.0 | 487 |
| Pontotoc | 2 | 492.9 | 241 |
| Prentiss | 2 | 485.0 | 284 |
| Quitman | 5 | 489.7 | 61 |
| Rankin | 2 | 483.3 | 229 |
| Scott | 0 | 0.0 | 289 |
| Sharkey | 8 | 494.4 | 38 |
| Sunflower | 13 | 492.9 | 24 |
| Tallahatchie | 10 | 495.0 | 27 |
| Tate | 5 | 495.6 | 158 |
| Tippah | 1 | 487.8 | 310 |
| Tishomingo | 0 | 0.0 | 481 |

See footnotes at end of table.

-- continued

Cotton Ginnings: Number of Active Gins, Average Bale Weight,
and Rank by County, State, and United States, Crop Year 1992 (continued)

| County and State | Number of Active Gins | Average Weight per Running Bale Ginned | Rank by Running Bales Produced |
|---------------------|--------------------------|---|-----------------------------------|
| | Number | Pounds | Rank |
| Tunica | 9 | 490.5 | 49 |
| Union | 2 | 468.4 | 270 |
| Warren | 1 | 490.0 | 107 |
| Washington | 15 | 495.6 | 13 |
| Webster | 1 | 480.0 | 160 |
| Wilkinson | 0 | 0.0 | 329 |
| Winston | 1 | 499.6 | 382 |
| Yalobusha | 1 | 486.7 | 190 |
| Yazoo | 8 | 491.4 | 20 |
| Mississippi | 181 | 491.3 | |
| Butler | 0 | 0.0 | 445 |
| Dunklin | 16 | 483.3 | 9 |
| Mississippi | 0 | 0.0 | 317 |
| New Madrid | 10 | 485.0 | 23 |
| Pemiscot | 9 | 481.8 | 35 |
| Scott | 4 | 493.9 | 174 |
| Stoddard | 2 | 495.6 | 95 |
| Missouri | 41 | 484.6 | |
| Chaves | 3 | 486.3 | 211 |
| Curry | 0 | 0.0 | 515 |
| Dona Ana | 8 | 487.0 | 108 |
| Eddy | 3 | 495.0 | 214 |
| Hidalgo | 2 | 482.0 | 446 |
| Lea | 1 | 0.0 | 392 |
| Luna | 1 | 487.2 | 324 |
| Quay | 1 | 457.0 | 474 |
| Roosevelt | 1 | 510.6 | 456 |
| New Mexico | 20 | 488.2 | |
| Anson | 1 | 500.0 | 516 |
| Bertie | 2 | 491.2 | 161 |
| Bladen | 1 | 450.6 | 355 |
| Camden | 0 | 0.0 | 468 |
| Catawba | 0 | 0.0 | 554 |
| Chowan | 0 | 0.0 | 199 |
| Cleveland | 3 | 482.5 | 457 |

See footnotes at end of table.

-- continued

Cotton Ginnings: Number of Active Gins, Average Bale Weight,
and Rank by County, State, and United States, Crop Year 1992 (continued)

| County and State | Number of Active Gins | Average Weight per Running Bale Ginned | Rank by Running Bales Produced |
|---------------------|--------------------------|---|-----------------------------------|
| | Number | Pounds | Rank |
| Columbus | 0 | 0.0 | 427 |
| Craven | 0 | 0.0 | 222 |
| Cumberland | 0 | 0.0 | 271 |
| Duplin | 0 | 0.0 | 249 |
| Edgecombe | 1 | 500.0 | 120 |
| Franklin | 0 | 0.0 | 539 |
| Gaston | 0 | 0.0 | 540 |
| Gates | 1 | 473.3 | 194 |
| Greene | 1 | 500.0 | 166 |
| Halifax | 5 | 494.1 | 78 |
| Harnett | 1 | 500.0 | 322 |
| Hertford | 1 | 485.6 | 265 |
| Hoke | 1 | 521.1 | 198 |
| Hyde | 0 | 0.0 | 419 |
| Johnston | 0 | 0.0 | 184 |
| Jones | 1 | 0.0 | 542 |
| Lee | 0 | 0.0 | 499 |
| Lenoir | 1 | 484.9 | 288 |
| Lincoln | 0 | 0.0 | 541 |
| Martin | 1 | 499.9 | 167 |
| Nash | 2 | 493.8 | 236 |
| Northampton | 6 | 490.3 | 104 |
| Onslow | 0 | 0.0 | 526 |
| Pasquotank | 0 | 0.0 | 395 |
| Perquimans | 1 | 490.1 | 252 |
| Pitt | 2 | 510.0 | 234 |
| Richmond | 0 | 0.0 | 423 |
| Robeson | 2 | 498.8 | 157 |
| Rutherford | 1 | 491.6 | 475 |
| Sampson | 3 | 475.5 | 92 |
| Scotland | 2 | 520.4 | 182 |
| Stanly | 0 | 0.0 | 458 |
| Union | 0 | 0.0 | 418 |
| Wake | 0 | 0.0 | 320 |
| Washington | 0 | 0.0 | 482 |
| Wayne | 1 | 490.0 | 200 |
| Wilson | 1 | 502.5 | 247 |
| North Carolina | 42 | 492.4 | |
| Beckham | 5 | 504.9 | 240 |

See footnotes at end of table.

-- continued

Cotton Ginnings: Number of Active Gins, Average Bale Weight,
and Rank by County, State, and United States, Crop Year 1992 (continued)

| County and State | Number of Active Gins | Average Weight per Running Bale Ginned | Rank by Running Bales Produced |
|---------------------|--------------------------|---|-----------------------------------|
| | Number | Pounds | Rank |
| Bryan | 4 | 461.1 | |
| Caddo | 5 | 463.2 | 334 |
| Canadian | 2 | 503.2 | 500 |
| Cleveland | 0 | 0.0 | 543 |
| Coal | 0 | 0.0 | 544 |
| Comanche | 0 | 0.0 | 345 |
| Cotton | 1 | 505.0 | 297 |
| Custer | 2 | 501.4 | 304 |
| Dewey | 0 | 0.0 | 517 |
| Garvin | 0 | 0.0 | 429 |
| Grady | 3 | 385.1 | 447 |
| Greer | 7 | 491.2 | 272 |
| Harmon | 4 | 498.1 | 153 |
| Jackson | 7 | 497.7 | 82 |
| Jefferson | 0 | 0.0 | 545 |
| Kiowa | 7 | 377.6 | 168 |
| Mcclain | 2 | 405.1 | 380 |
| Mcintosh | 0 | 0.0 | 557 |
| Roger Mills | 0 | 0.0 | 420 |
| Stephens | 1 | 510.0 | 436 |
| Tillman | 7 | 492.3 | 75 |
| Washita | 7 | 489.6 | 143 |
| Oklahoma | 64 | 494.5 | |
| Aiken | 2 | 525.0 | 341 |
| Allendale | 1 | 500.0 | 343 |
| Anderson | 1 | 500.0 | 488 |
| Bamberg | 0 | 0.0 | 430 |
| Barnwell | 1 | 490.0 | 389 |
| Calhoun | 3 | 483.0 | 130 |
| Chester | 0 | 0.0 | 489 |
| Chesterfield | 0 | 0.0 | 505 |
| Clarendon | 2 | 483.6 | 238 |
| Darlington | 3 | 506.2 | 176 |
| Dillon | 3 | 480.4 | 181 |
| Dorchester | 0 | 0.0 | 372 |
| Florence | 0 | 0.0 | 359 |
| Hampton | 0 | 0.0 | 243 |
| Jasper | 0 | 0.0 | 518 |

See footnotes at end of table.

-- continued

Cotton Ginnings: Number of Active Gins, Average Bale Weight,
and Rank by County, State, and United States, Crop Year 1992 (continued)

| County and State | Number of Active Gins | Average Weight per Running Bale Ginned | Rank by Running Bales Produced |
|---------------------|--------------------------|---|-----------------------------------|
| | Number | Pounds | Rank |
| Kershaw | 0 | 0.0 | 448 |
| Lancaster | 0 | 0.0 | 556 |
| Lee | 7 | 483.8 | 132 |
| Lexington | 0 | 0.0 | 367 |
| Marion | 0 | 0.0 | 396 |
| Marlboro | 4 | 499.2 | 126 |
| Orangeburg | 4 | 491.8 | 146 |
| Richland | 0 | 0.0 | 441 |
| Saluda | 1 | 500.0 | 406 |
| Sumter | 7 | 493.1 | 172 |
| Union | 0 | 0.0 | 553 |
| Williamsburg | 1 | 495.0 | 140 |
| York | 1 | 509.0 | 421 |
| South Carolina | 41 | 491.5 | |
| Carroll | 1 | 484.6 | 139 |
| Chester | 0 | 0.0 | 282 |
| Coffee | 0 | 0.0 | 433 |
| Crockett | 10 | 482.9 | 30 |
| Dyer | 1 | 485.0 | 86 |
| Fayette | 7 | 501.4 | 70 |
| Franklin | 0 | 0.0 | 335 |
| Gibson | 5 | 480.2 | 42 |
| Giles | 0 | 0.0 | 459 |
| Hardeman | 3 | 502.7 | 169 |
| Hardin | 0 | 0.0 | 449 |
| Haywood | 9 | 489.3 | 21 |
| Henderson | 0 | 0.0 | 390 |
| Henry | 0 | 0.0 | 428 |
| Lake | 0 | 0.0 | 151 |
| Lauderdale | 6 | 490.2 | 50 |
| Lawrence | 0 | 0.0 | 342 |
| Lincoln | 2 | 500.1 | 327 |
| Madison | 3 | 484.5 | 65 |
| Marshall | 0 | 0.0 | 558 |
| Maury | 0 | 0.0 | 476 |
| Mcnairy | 2 | 485.2 | 306 |
| Montgomery | 0 | 0.0 | 462 |
| Obion | 2 | 469.7 | 280 |
| Robertson | 0 | 0.0 | 527 |

See footnotes at end of table.

-- continued

Cotton Ginnings: Number of Active Gins, Average Bale Weight,
and Rank by County, State, and United States, Crop Year 1992 (continued)

| County and State | Number of Active Gins | Average Weight per Running Bale Ginned | Rank by Running Bales Produced |
|---------------------|--------------------------|---|-----------------------------------|
| | Number | Pounds | Rank |
| Rutherford | 0 | 0.0 | 393 |
| Shelby | 3 | 495.5 | 116 |
| Tipton | 8 | 490.5 | 48 |
| Warren | 0 | 0.0 | 528 |
| Wayne | 0 | 0.0 | 546 |
| Weakley | 0 | 0.0 | 414 |
| Tennessee | 62 | 487.9 | |
| Anderson | 0 | 0.0 | |
| Andrews | 0 | 0.0 | 362 |
| Aransas | 0 | 0.0 | 531 |
| Archer | 0 | 0.0 | 315 |
| Armstrong | 0 | 0.0 | 510 |
| Atascosa | 0 | 0.0 | 532 |
| Austin | 0 | 0.0 | 397 |
| Bailey | 6 | 494.9 | 344 |
| Bastrop | 0 | 0.0 | 552 |
| Baylor | 2 | 494.0 | 285 |
| Bee | 0 | 0.0 | 411 |
| Bell | 1 | 480.7 | 275 |
| Borden | 1 | 480.0 | 155 |
| Bowie | 0 | 0.0 | 465 |
| Brazoria | 3 | 490.9 | 331 |
| Brazos | 3 | 492.7 | 152 |
| Briscoe | 2 | 492.5 | 452 |
| Burleson | 1 | 485.0 | 215 |
| Caldwell | 1 | 500.0 | 336 |
| Calhoun | 1 | 497.3 | 164 |
| Callahan | 0 | 0.0 | 548 |
| Cameron | 10 | 497.9 | 43 |
| Castro | 5 | 493.6 | 206 |
| Childress | 3 | 494.6 | 119 |
| Clay | 1 | 450.0 | 391 |
| Cochran | 2 | 498.4 | 212 |
| Coleman | 1 | 494.4 | 376 |
| Collin | 3 | 476.4 | 300 |
| Collingswort | 6 | 501.9 | 106 |
| Colorado | 0 | 0.0 | 403 |

See footnotes at end of table.

-- continued

Cotton Ginnings: Number of Active Gins, Average Bale Weight,
and Rank by County, State, and United States, Crop Year 1992 (continued)

| County and State | Number of Active Gins | Average Weight per Running Bale Ginned | Rank by Running Bales Produced |
|---------------------|--------------------------|---|-----------------------------------|
| | Number | Pounds | Rank |
| Concho | 2 | 483.7 | 185 |
| Cooke | 0 | 0.0 | 549 |
| Coryell | 0 | 0.0 | 506 |
| Cottle | 2 | 493.0 | 148 |
| Crosby | 6 | 501.8 | 67 |
| Culberson | 0 | 0.0 | 551 |
| Dawson | 11 | 490.8 | 26 |
| De Witt | 0 | 0.0 | 503 |
| Deaf Smith | 1 | 480.0 | 490 |
| Delta | 1 | 480.0 | 407 |
| Denton | 1 | 490.0 | 350 |
| Dickens | 2 | 512.5 | 346 |
| Donley | 1 | 495.0 | 186 |
| El Paso | 6 | 494.6 | 93 |
| Ellis | 4 | 500.6 | 196 |
| Falls | 3 | 492.9 | 208 |
| Fannin | 1 | 480.0 | 424 |
| Fisher | 3 | 487.8 | 85 |
| Floyd | 7 | 505.0 | 171 |
| Foard | 1 | 480.0 | 381 |
| Fort Bend | 7 | 486.9 | 101 |
| Frio | 0 | 0.0 | 442 |
| Gaines | 14 | 496.2 | 8 |
| Garza | 3 | 497.5 | 110 |
| Glasscock | 2 | 512.9 | 52 |
| Gonzales | 0 | 0.0 | 520 |
| Gray | 0 | 0.0 | 469 |
| Grayson | 0 | 0.0 | 491 |
| Hale | 12 | 500.0 | 204 |
| Hall | 5 | 494.9 | 76 |
| Hardeman | 2 | 495.2 | 235 |
| Hartley | 0 | 0.0 | 308 |
| Haskell | 8 | 491.0 | 81 |
| Hays | 0 | 0.0 | 464 |
| Hemphill | 0 | 0.0 | 547 |
| Hidalgo | 13 | 494.4 | 55 |
| Hill | 5 | 494.2 | 195 |
| Hockley | 12 | 495.1 | 57 |
| Houston | 2 | 492.5 | 294 |
| Howard | 5 | 497.0 | 77 |

See footnotes at end of table.

-- continued

Cotton Ginnings: Number of Active Gins, Average Bale Weight,
and Rank by County, State, and United States, Crop Year 1992 (continued)

| County and State | Number of Active Gins | Average Weight per Running Bale Ginned | Rank by Running Bales Produced |
|---------------------|--------------------------|---|-----------------------------------|
| | Number | Pounds | Rank |
| Hudspeth | 0 | 0.0 | 180 |
| Hunt | 2 | 486.3 | 348 |
| Irion | 0 | 0.0 | 507 |
| Jackson | 1 | 480.3 | 117 |
| Jefferson | 0 | 0.0 | 521 |
| Jim Wells | 0 | 0.0 | 250 |
| Johnson | 0 | 0.0 | 463 |
| Jones | 11 | 500.3 | 98 |
| Kaufman | 2 | 481.4 | 339 |
| Kent | 1 | 485.7 | 356 |
| King | 1 | 477.0 | 460 |
| Kinney | 0 | 0.0 | 519 |
| Kleberg | 2 | 500.2 | 159 |
| Knox | 5 | 501.2 | 175 |
| Lamar | 2 | 487.3 | 301 |
| Lamb | 9 | 499.1 | 217 |
| Lee | 0 | 0.0 | 357 |
| Leon | 0 | 0.0 | 492 |
| Limestone | 0 | 0.0 | 353 |
| Live Oak | 0 | 0.0 | 383 |
| Lubbock | 15 | 495.3 | 66 |
| Lynn | 13 | 493.6 | 17 |
| Martin | 9 | 496.1 | 58 |
| Matagorda | 1 | 483.0 | 149 |
| Mcculloch | 1 | 490.0 | 384 |
| Mclennan | 1 | 475.9 | 318 |
| Medina | 2 | 485.0 | 370 |
| Midland | 1 | 500.0 | 129 |
| Milam | 3 | 493.4 | 145 |
| Mitchell | 3 | 490.9 | 137 |
| Motley | 2 | 499.5 | 213 |
| Navarro | 3 | 499.7 | 131 |
| Nolan | 1 | 501.0 | 99 |
| Nueces | 8 | 496.3 | 54 |
| Parmer | 7 | 495.7 | 338 |
| Pecos | 2 | 493.2 | 295 |
| Reagan | 2 | 505.8 | 224 |
| Red River | 0 | 0.0 | 274 |
| Reeves | 2 | 480.0 | 223 |
| Refugio | 1 | 487.0 | 156 |
| Robertson | 4 | 499.4 | 91 |

See footnotes at end of table.

-- continued

Cotton Ginnings: Number of Active Gins, Average Bale Weight,
and Rank by County, State, and United States, Crop Year 1992 (continued)

| County and State | Number of Active Gins | Average Weight per Running Bale Ginned | Rank by Running Bales Produced |
|------------------------|--------------------------|---|-----------------------------------|
| | Number | Pounds | Rank |
| Rockwall | 0 | 0.0 | 550 |
| Runnels | 7 | 497.1 | 150 |
| San Patricio | 11 | 485.5 | 44 |
| Schleicher | 1 | 500.1 | 373 |
| Scurry | 3 | 502.0 | 170 |
| Shackelford | 0 | 0.0 | 450 |
| Starr | 1 | 493.0 | 283 |
| Stephens | 0 | 0.0 | 477 |
| Stonewall | 0 | 0.0 | 453 |
| Swisher | 2 | 500.4 | 277 |
| Tarrant | 0 | 0.0 | 501 |
| Taylor | 2 | 500.0 | 298 |
| Terry | 10 | 496.0 | 28 |
| Throckmorton | 2 | 485.0 | 347 |
| Tom Green | 9 | 492.0 | 83 |
| Travis | 1 | 485.0 | 325 |
| Upton | 1 | 503.2 | 189 |
| Uvalde | 1 | 480.0 | 281 |
| Val Verde | 0 | 0.0 | 437 |
| Van Zandt | 0 | 0.0 | 502 |
| Victoria | 0 | 0.0 | 191 |
| Walker | 1 | 625.0 | 402 |
| Ward | 0 | 0.0 | 529 |
| Wharton | 6 | 485.4 | 68 |
| Wheeler | 1 | 472.0 | 326 |
| Wichita | 1 | 490.0 | 230 |
| Wilbarger | 5 | 485.2 | 177 |
| Willacy | 8 | 495.0 | 46 |
| Williamson | 12 | 491.5 | 105 |
| Wilson | 0 | 0.0 | 530 |
| Yoakum | 6 | 490.9 | 39 |
| Young | 1 | 483.5 | 360 |
| Zavala | 2 | 490.0 | 267 |
| Texas | 405 | 494.4 | |
| Virginia ^{1/} | 2 | 481.4 | |
| US Total | 1,389 | 492.8 | |

^{1/} County data withheld to avoid disclosing operations.

^{2/} No gins operated in 1992 crop year.

Note: County of origin was not determined for approximately
319,000 bales in the U.S., and ranking may be affected.

Cotton Ginnings: Number of Active Gins and Bales Ginned
by Size Group, State, and United States, Crop Year 1992

| Running Bales Ginned by Size Group | Number of Active Gins | Running Bales Ginned by Size Group | Number of Active Gins |
|--|--------------------------|--|--------------------------|
| All cotton | | | |
| US 1/ | 1,389 | CA | 121 |
| 1 - 999 | 92 | 1 - 999 | 1 |
| 1,000 - 2,999 | 202 | 1,000 - 2,999 | 1 |
| 3,000 - 4,999 | 146 | 3,000 - 4,999 | 1 |
| 5,000 - 6,999 | 144 | 5,000 - 6,999 | 4 |
| 7,000 - 9,999 | 170 | 7,000 - 9,999 | 13 |
| 10,000 - 14,999 | 215 | 10,000 - 14,999 | 19 |
| 15,000 - and over | 413 | 15,000 - and over | 81 |
| AL | 68 | GA | 59 |
| 1 - 999 | 7 | 1 - 999 | 2 |
| 1,000 - 2,999 | 12 | 1,000 - 2,999 | 8 |
| 3,000 - 4,999 | 6 | 3,000 - 4,999 | 6 |
| 5,000 - 6,999 | 12 | 5,000 - 6,999 | 4 |
| 7,000 - 9,999 | 11 | 7,000 - 9,999 | 9 |
| 10,000 - 14,999 | 9 | 10,000 - 14,999 | 9 |
| 15,000 - and over | 11 | 15,000 - and over | 21 |
| AZ | 81 | LA | 77 |
| 1 - 999 | 4 | 1 - 999 | 0 |
| 1,000 - 2,999 | 7 | 1,000 - 2,999 | 1 |
| 3,000 - 4,999 | 7 | 3,000 - 4,999 | 3 |
| 5,000 - 6,999 | 8 | 5,000 - 6,999 | 5 |
| 7,000 - 9,999 | 8 | 7,000 - 9,999 | 12 |
| 10,000 - 14,999 | 16 | 10,000 - 14,999 | 14 |
| 15,000 - and over | 31 | 15,000 - and over | 42 |
| AR | 121 | MS | 181 |
| 1 - 999 | 2 | 1 - 999 | 6 |
| 1,000 - 2,999 | 13 | 1,000 - 2,999 | 24 |
| 3,000 - 4,999 | 9 | 3,000 - 4,999 | 25 |
| 5,000 - 6,999 | 13 | 5,000 - 6,999 | 17 |
| 7,000 - 9,999 | 9 | 7,000 - 9,999 | 20 |
| 10,000 - 14,999 | 24 | 10,000 - 14,999 | 33 |
| 15,000 - and over | 51 | 15,000 - and over | 56 |

-- continued


Cotton Ginnings: Number of Active Gins and Bales Ginned
by Size Group, State, and United States, Crop Year 1992 (continued)

| Running Bales Ginned by Size Group | Number of Active Gins | Running Bales Ginned by Size Group | Number of Active Gins |
|--|--------------------------|--|--------------------------|
| MO | 41 | SC | 41 |
| 1 - 999 | 1 | 1 - 999 | 3 |
| 1,000 - 2,999 | 1 | 1,000 - 2,999 | 16 |
| 3,000 - 4,999 | 2 | 3,000 - 4,999 | 5 |
| 5,000 - 6,999 | 2 | 5,000 - 6,999 | 5 |
| 7,000 - 9,999 | 14 | 7,000 - 9,999 | 7 |
| 10,000 - 14,999 | 7 | 10,000 - 14,999 | 4 |
| 15,000 - and over | 14 | 15,000 - and over | 1 |
| NM | 20 | TN | 62 |
| 1 - 999 | 6 | 1 - 999 | 2 |
| 1,000 - 2,999 | 2 | 1,000 - 2,999 | 11 |
| 3,000 - 4,999 | 7 | 3,000 - 4,999 | 0 |
| 5,000 - 6,999 | 2 | 5,000 - 6,999 | 12 |
| 7,000 - 9,999 | 3 | 7,000 - 9,999 | 4 |
| 10,000 - 14,999 | 0 | 10,000 - 14,999 | 10 |
| 15,000 - and over | 0 | 15,000 - and over | 23 |
| NC | 42 | TX | 405 |
| 1 - 999 | 4 | 1 - 999 | 31 |
| 1,000 - 2,999 | 4 | 1,000 - 2,999 | 87 |
| 3,000 - 4,999 | 7 | 3,000 - 4,999 | 60 |
| 5,000 - 6,999 | 2 | 5,000 - 6,999 | 48 |
| 7,000 - 9,999 | 5 | 7,000 - 9,999 | 52 |
| 10,000 - 14,999 | 6 | 10,000 - 14,999 | 59 |
| 15,000 - and over | 14 | 15,000 - and over | 68 |
| OK | 64 | | |
| 1 - 999 | 23 | | |
| 1,000 - 2,999 | 15 | | |
| 3,000 - 4,999 | 8 | | |
| 5,000 - 6,999 | 10 | | |
| 7,000 - 9,999 | 3 | | |
| 10,000 - 14,999 | 4 | | |
| 15,000 - and over | 1 | | |

1/ Includes 4 gins in Florida and 2 gins in Virginia.

1992 All Cotton Ginnings


Percent of U.S. Crop Ginned



U.S. Total Ginnings - 15,785,650 Bales


1992 All Cotton Ginnings

Arizona




1992 All Cotton Ginnings

Arkansas




1992 All Cotton Ginnings

California




1992 All Cotton Ginnings

Louisiana




1992 All Cotton Ginnings

Mississippi



1992 All Cotton Ginnings

Texas



Cotton Ginnings 1992: A total of 15.8 million running bales were ginned during the 1992 season, 8 percent below the 1991 ginnings of 17.1 million bales. Ginnings generally exceeded the 1991 pace mainly due to a smaller crop but also because of few weather related delays. Oklahoma and the Carolina's experienced some delays from excessive rain during harvest.

Cotton Production 1992: All cotton production in the United States totaled 16.2 million bales in 1992. That output, 8 percent below 1991 level, becomes the sixth largest production. Upland cotton production, at 15.7 million bales, was 9 percent below the 1991 level. American-Pima production of 508,300 bales, up 28 percent from 1991, represents the second largest production on record.

Area planted to all cotton totaled 13.2 million acres, a 6 percent decrease from 1991. Harvested area, at 11.1 million acres, was down 14 percent from the previous year. Abandonment during 1992 amounted to 16 percent of planted acres, compared with 8 percent in 1991. The larger abandonment was due to adverse weather early in the season in Texas, which forced producers to abandon 35 percent of the acreage. Yields for the U.S. averaged 699 pounds per acre, 47 pounds above 1991.

The Texas-Oklahoma production, at 3.48 million bales, was down 30 percent from 1991. Texas producers experienced poor planting conditions, and abandoned nearly 2 million acres early in the season.

Plantings of the 1992 Upland crop equaled or exceeded the normal pace in the Delta. Although Arkansas realized a record high yield of 823 pounds per harvested acre, Louisiana and Mississippi yields declined from their record high 1991 levels.

Production in the Southeast decreased 9 percent from the previous year. Production increases in Alabama and Georgia were offset by lower production levels in the Carolina's.

Western States' production increased 2 percent from the previous year to 3.59 million bales. The higher level was due to an 11 percent increase in California's production, although production decreased in Arizona and New Mexico. While California realized a record high yield of 1,359 pounds per harvested acre, Arizona's crop was adversely affected by Whitefly infestation and weather.

Cottonseed: Cottonseed production in 1992 totaled 6.23 million tons, down 10 percent from 1991.

Report Features

The next "Cotton Ginnings " report will be released at 3:00 p.m. ET on August 11, 1993.

Listed below are the commodity specialists in the Crops Branch of the National Agricultural Statistics Service to contact for additional information.

John D. Witzig, Chief (202) 720-2127

Fruits, Vegetables & Special Crops Section
Stephen Ropel, Head (202) 720-3843

Roger Latham - Cotton (202) 720-5944



